



LIGHT BAR SERIES

WENZHOU WEYA ELECTRONIC TECHNOLOGY CO.,LTD

WEBSITE: WWW.VEHICLESIGNAL.COM

EMAIL: SALES@VEHICLESIGNAL.COM
SNOWY@VEHICLESIGNAL.COM

MOBILE/ WHATSAPP: 0086-13957796264

TELL: 0086-577-88837383


CONTACT: SNOWY ZHAN



TBD-40L21B

FEATURES:

3 YEAR WARRANTY
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
104 TOTAL 3-WATT GEN.IV LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK AS OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 50" L X 3.3" H X 13" D





FEATURES:


3 YEAR WARRANTY
POWERED BY 12V
CREE LED TECHNOLOGY
LINER OPTICS
156 TOTAL 3-WATT GEN.IV LEDs
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK AS OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 50" L X 3.3" H X 13" D





FEATURES:

3 YEAR WARRANTY
BAYER TOP CLASS PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
84PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 46.5" L X 2.25" H X 12" D





FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
86PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 46" L X 2.25" H X 12" D





FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
LINER OPTICS
136PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 46" L X 2.25" H X 12" D






TBD-43L21BS

FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
86PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 46" L X 2.25" H X 12" D






TBD-44L21B

FEATURES:

3 YEAR WARRANTY
 BAYER TOP CLASS PC DOME
 POWERED BY 12V
 CREE LED TECHNOLOGY
 TIR OPTICS
 84PCS GENERATION IV 3-WATT LEDS
 39 AVAILABLE FLASH PATTERNS
 LED TAKE-DOWN AND ALLEY LIGHTS
 BUILT IN AMBER ARROW STICK FOR OPTIONAL
 OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
 AVAILABLE FOR PURCHASE
 ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
 NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
 LIFESPAN OF UP TO 100,000 HOURS
 OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
 PURCHASE
 INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
 POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
 MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTION
 AVAILABLE FOR PURCHASE
 DIMENSIONS: 46.5" L X 2.25" H X 12" D





TBD-29L21B

FEATURES:

3 YEAR WARRANTY
 ALUMINUM MAIN BODY
 POWERED BY 12V
 CREE LED TECHNOLOGY
 TIR OPTICS
 86PCS GENERATION IV 3-WATT LEDS
 39 AVAILABLE FLASH PATTERNS
 LED TAKE-DOWN AND ALLEY LIGHTS
 BUILT IN AMBER ARROW STICK FOR OPTIONAL
 OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
 AVAILABLE FOR PURCHASE
 ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
 NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
 LIFESPAN OF UP TO 100,000 HOURS
 OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
 PURCHASE
 INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
 POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
 MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
 AVAILABLE FOR PURCHASE
 DIMENSIONS: 48" L X 1.8" H X 5" D





TBD-29L21D

FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
LINEAR OPTICS
102PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 48" L X 1.8" H X 5" D





TBD-81L21C

FEATURES:

2 YEAR WARRANTY
IMPORTED PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
74PCS GENERATION III 1-WATT LEDS
16 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 47" L X 5.9" H X 4.3" D





TBD-20L21D

FEATURES:

3 YEAR WARRANTY
BAYER TOP CLASS PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY
POWER: 160W
GENERATION IV 3-WATT LEDS
20 AVAILABLE FLASH PATTERNS
TEMPERATURE:-40°C TO 75°C
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS:50" L X 5.9" H X 12" D





TBD-19L21D

FEATURES:

3 YEAR WARRANTY
BAYER TOP CLASS PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY
POWER: 160W
GENERATION IV 3-WATT LEDS
20 AVAILABLE FLASH PATTERNS
TEMPERATURE: -40°C TO 75°C
BUILT IN SPEAKER
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS AVAILABLE FOR PURCHASE
DIMENSIONS: 47.5" L X 5.9" H X 12" D






TBD-33L21B

FEATURES:


3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
86PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 46" L X 2.25" H X 12" D





FEATURES:

3 YEAR WARRANTY
 ALUMINUM MAIN BODY
 POWERED BY 12V
 CREE LED TECHNOLOGY
 TIR OPTICS
 88PCS GENERATION IV 3-WATT LEDS
 25 AVAILABLE FLASH PATTERNS
 LED TAKE-DOWN AND ALLEY LIGHTS
 OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
 AVAILABLE FOR PURCHASE
 NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
 LIFESPAN OF UP TO 100,000 HOURS
 OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
 PURCHASE
 INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
 POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
 MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
 AVAILABLE FOR PURCHASE
 DIMENSIONS: 45.7" L X 3.4" H X 11.2" D






TBD-83L21B



FEATURES:

- 3 YEAR WARRANTY
- ALUMINUM MAIN BODY
- POWERED BY 12V
- CREE LED TECHNOLOGY
- TIR OPTICS
- 176PCS GENERATION IV 3-WATT LEDS
- 25 AVAILABLE FLASH PATTERNS
- LED TAKE-DOWN AND ALLEY LIGHTS
- OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY AVAILABLE FOR PURCHASE
- NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
- LIFESPAN OF UP TO 100,000 HOURS
- OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR PURCHASE
- INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
- MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS AVAILABLE FOR PURCHASE
- DIMENSIONS: 47" L X 2.96" H X 12" D






TBD-17L21B

FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
TIR OPTICS
88PCS GENERATION IV 3-WATT LEDS
39 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
BUILT IN AMBER ARROW STICK FOR OPTIONAL
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS: 50" L X 5.12" H X 11.8" D





TBD-27L02D

FEATURES:

3 YEAR WARRANTY
ALUMINUM MAIN BODY
POWERED BY 12V
CREE LED TECHNOLOGY
108W POWER
15 AVAILABLE FLASH PATTERNS
LED TAKE-DOWN AND ALLEY LIGHTS
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
ARROW STICK DIRECTIONS: RIGHT, LEFT, CENTER OUT
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
AVAILABLE FOR PURCHASE
DIMENSIONS: 46.5" L X 5.6" H X 11.9" D




TBD-27L01D





TBD-86L21B



FEATURES:

3 YEAR WARRANTY
BAYER TOP CLASS PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY
88PCS GENERATION IV 3-WATT LEDS
25 AVAILABLE FLASH PATTERNS
TEMPERATURE:-40°C TO 75°C
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
MULTIPLE VEHICLE SPECIFIC GUTTER BRACKET OPTIONS
AVAILABLE FOR PURCHASE
DIMENSIONS:47.6" L X 2.13" H X 11.8" D






TBD-28L01D



TBD-28L05D







FEATURES:

3 YEAR WARRANTY
BAYER TOP CLASS PC DOME
POWERED BY 12V
CREE LED TECHNOLOGY 3-WATT LEDS
20 AVAILABLE FLASH PATTERNS
TEMPERATURE:-40°C TO 75°C
OPTIONAL MULTICOLOR TRAFFIC ADVISOR FUNCTIONALITY
AVAILABLE FOR PURCHASE
NON-VOLATILE MEMORY RECALLS LAST FLASH PATTERN
LIFESPAN OF UP TO 100,000 HOURS
OPTIONAL SUPREME II CONTROL BOX AVAILABLE FOR
PURCHASE
INCLUDES 13 FEET OF CABLE TO SWITCH BOX, 8 FEET OF
POWER CABLE, AND 8 FEET OF AUXILIARY CABLE
ONE LAYER OR DUAL LAYER LED CONSTRUCTION OPTIONAL
BUILT IN SPEAKER IS AVAILABLE





TBD-28L06D



Rotator Light Bar Series



TBD-010112



JBQ-10014



TBD-030112



TBD-040112



LB-1001